Brain Research, 524 (1990) 357–359
Elsevier

Author Index

Aghajanian, G.K., Serotonin-induced inward current in rat facial motoneurons: evidence for mediation by G proteins but not protein kinase C, 171
Alvarez, F.J., Rodrigo, J. and Priestley, J.V., Distribution of small-diameter primary afferents containing oligosaccharide residues recognized by monoclonal antibody LA4 in the dorsal horn of the cat, 175
Auerbach, S.B., see Pleim, E.T., 160

Baker, R.A., see Saint Marie, R.L., 244
Band, L.C. and Hull, E.M., Morphine and dynorphin (1–13) microinjected into the medial preoptic area and nucleus accumbens: effects on sexual behavior in male rats, 77
Barfield, R.J., see Pleim, E.T., 160
Belluardo, N., Mudò, G., Cella, S. and Bindoni, M., Effect of cerebral hemisphere decortication on the cytotoxic activity of natural killer and natural cytotoxic lymphocytes in the mouse, 297
Betz, A.L., see Schielke, G.P., 291
Bindoni, M., see Belluardo, N., 297
Blicharska, J., see Neary, J.T., 231
Blumberg, P.M., see Szallasi, A., 106
Brody, M.J., see Meller, S.T., 90
Bronstein, J.M., Farber, D.B., Micevych, P.E., Lasher, R. and Wasterlain, C.G., Kindling induced changes in calmodulin kinase II immunoreactivity, 49

Cella, S., see Belluardo, N., 297
Chen, X., see Poon, P.W.F., 327
Chiu, F.-C., see Hozumi, I., 64
Choi, H., see Kim, M.S., 208
Contreras, P.C., see Iyengar, S., 322
Costentin, J., see Dourmap, N., 153
Court, J.A., Piggott, M.A. and Perry, E.K., Nicotine reduces the binding of [^{3}H]MK-801 to brain membranes, but not via the stimulation of high-affinity nicotinic receptors, 319
Cronly-Dillon, J.R., see Nona, S.N., 133

Dilworth, V.M., see Iyengar, S., 322
Dion, S., see Tousignant, C., 263
Di Scala-Guenot, D., Strosser, M.T., Freund-Mercier, M.J. and Richard, Ph., Characterization of oxytocin-binding sites in primary rat brain cell cultures, 10
Divac, I. and Mogensen, J., Long-term retrograde labelling of neurons, 339
Dourmap, N., Michael-Titus, A. and Costentin, J., Local enkephalins tonically modulate dopamine release in the striatum: a microdialysis study, 153
Drapeau, G., see Tousignant, C., 263

Elliott, C.J.H. and Kleindienst, H.-U., Photoinactivation of neurones in the pond snail, *Lymnaea stagnalis*: estimation of a safety factor, 149
Eyzaguirre, C., Hayashida, Y. and Monti-Bloch, L., Effects of denervation on the glomus cell membrane, 164

Farber, D.B., see Bronstein, J.M., 49
Frenk, H., see Van Praag, H., 101
Freund-Mercier, M.J., see Di Scala-Guenot, D., 10
Fuwa, T., see Shimamura, M., 282

Gandhi, M.R., see Sica, A.L., 254
Gebhart, G.F., see Meller, S.T., 90
Glowinski, J., see Mantz, J., 22
Godbout, R., see Mantz, J., 22
Gotzsch, U., see Wiegand, H., 112
Grace, A.A., Evidence for the functional dopamine compartmentalization of spike generating regions of rat midbrain dopamine neurons recorded in vitro, 31
Guillemette, G., see Tousignant, C., 263
Guimarães, F.S., see Terenzi, M.G., 213

Hahn, S.J., see Kim, M.S., 208
Hattori, Y. and Koizumi, K., Sensitivity to angiotensin II of neurons in the circumventricular organs of polydipsic inbred mice, 181
Häusler, A., see Mondadori, C., 203
Hayashida, Y., see Eyzaguirre, C., 164
Heinemann, U., see Mudrick, L.A., 331
Hozumi, I., Chiu, F.-C. and Norton, W.T., Biochemical and immunocytochemical changes in glial fibrillary acidic protein after stab wounds, 64
Hubbard, J.I., Hyland, B.I. and Sirett, N.E., Responses in the diagonal band of Broca, adjacent septal nuclei and the islands of Calleja of cats to stimulation of the subcallosal fornix, medial basal hypothalamus and medial forebrain bundle, 347
Hull, E.M., see Band, L.C., 77
Hwang, J.C., see Poon, P.W.F., 327
Hyland, B.I., see Hubbard, J.I., 347

Icard-Liepkalins, C., see Shimahara, T., 219
Inanaga, K., see Koga, T., 313
Isbrucker, R., see Sawynok, J., 187
Ito, T., see Yasuda, T., 54
Iyengar, S., Dilworth, V.M., Mick, S.J., Contreras, P.C., Monahan, J.B., Rao, T.S. and Wood, P.L., Sigma receptors modulate both A9 and A10 dopaminergic neurons in the rat brain: functional interaction with NMDA receptors, 322

Jo, Y.H., see Kim, M.S., 208
Jones, R.S.G., see Mudrick, L.A., 331
Jonsson, G., see Koga, T., 313

Kaji, M., see Koga, T., 313
Kasamatsu, T., see Sheu, F.-S., 144
Kim, C.C., see Kim, M.S., 208
Kim, M.S., Jo, Y.H., Yoon, S.H., Hahn, S.J., Rhie, D.J., Kim, C.C. and Choi, H., Electrical stimulation of the medial amygdala facilitates gastric acid secretion in conscious rats, 208
Kleindienst, H.-U., see Elliott, C.J.H., 149
Kocsis, J.D., see Poolos, N.P., 342
Koga, T., Kojima, H., Yamada, S., Miki, K., Nishi, S., Inanaga, K., Shoji, H., Kaji, M., Jonsson, G. and Toffano, G., GM1 ganglioside reduces edema and monoaminergic neuronal changes following experimental focal ischemia in rat brain, 313
Kogure, K., see Nagasawa, H., 196
Koizumi, K., see Hattori, Y., 181
Kojima, H., see Koga, T., 313
Kudo, M., see Nakamura, Y., 353
Kurihara, K., see Nakamura, M., 42

Lasher, R., see Bronstein, J.M., 49
Lewis, S.J., see Meller, S.T., 90
Lin, Y. and Phillis, J.W., Chronic caffeine exposure reduces the excitant action of acetylcholine on cerebral cortical neurons, 316

Mantz, J., Godbout, R., Tassin, J.-P., Glowinski, J. and Thierry, A.-M., Inhibition of spontaneous and evoked unit activity in the rat medial prefrontal cortex by mesencephalic raphe nuclei, 22
Martínez-Mir, M.I., see Mengod, G., 139
Matochik, J.A., see Pleim, E.T., 160
Mayevsky, A., Level of ischemia and brain functions in the Mongolian gerbil in vivo, 1
Meis, S., see Wiegand, H., 112
Meller, S.T., Lewis, S.J., Ness, T.J., Brody, M.J. and Gebhart, G.F., Vagal afferent-mediated inhibition of a nociceptive reflex by intravenous serotonin in the rat. I. Characterization, 90
Mengod, G., Pompeiano, M., Martínez-Mir, M.I. and Palacios, J.M., Localization of the mRNA for the 5-HT$_2$ receptor by in situ hybridization histochemistry. Correlation with the distribution of receptor sites, 139
Micevych, P.E., see Bronstein, J.M., 49
Michael-Titus, A., see Dourmap, N., 153
Mick, S.J., see Iyengar, S., 322
Miki, K., see Koga, T., 313
Mitsuma, T., see Yasuda, T., 54

Mogensen, J., see Divac, I., 339
Mogenson, G.J., see Yang, C.R., 271
Moises, H.C., see Schielke, G.P., 291
Monahan, J.B., see Iyengar, S., 322
Mondadori, C. and Häusler, A., Aldosterone receptors are involved in the mediation of the memory-enhancing effects of piracetam, 203
Monti-Bloch, L., see Eyzaguirre, C., 164
Mudò, G., see Belluardo, N., 297
Mudrick, L.A., Stabel, J., Jones, R.S.G. and Heinemann, U., Prolonged electrophysiological maturation of transplanted hippocampal neurons, 331
Mueller, G.G., see Neumann, P.E., 85
Mühlethaler, M. and Serafin, M., Thalamic spindles in an isolated and perfused preparation in vitro, 17

Nagasawa, H. and Kogure, K., Exo-focal postischemic neuronal death in the rat brain, 196
Nakamura, M. and Kurihara, K., Non-specific inhibition by amiloride of canine chorda tympani nerve responses to various salts: do Na^+-specific channels exist in canine taste receptor membranes?, 42
Nakamura, Y., Kudo, M. and Tokuno, H., Monosynaptic projection from the pedunculopontine tegmental nuclear region to the reticulospinal neurons of the medulla oblongata. An electron microscope study in the cat, 353
Neal, J.W., Pearson, R.C.A. and Powell, T.P.S., The ipsilateral cortico-connections of area 7b, PF, in the parietal and temporal lobes of the monkey, 119
Neary, J.T., Woodson, C., Blicharska, J., Norenberg, L.O.B. and Norenberg, M.D., Effect of ammonia on calcium homeostasis in primary astrocyte cultures, 231
Ness, T.J., see Meller, S.T., 90
Neumann, P.E., Mueller, G.G. and Sidman, R.L., Identification and mapping of a mouse gene influencing cerebellar folial pattern, 85
Nishi, S., see Koga, T., 313
Noebels, J.L. and Rutecki, P.A., Altered hippocampal network excitability in the hypernoradrenergic mutant mouse tottering, 225
Nona, S.N., Stafford, C.A., Shehab, S.A.S. and Cronly-Dillon, J.R., A polyclonal antibody to goldfish neuronal 145 kDa intermediate filament protein, 133
Norenberg, L.O.B., see Neary, J.T., 231
Norenberg, M.D., see Neary, J.T., 231
Norton, W.T., see Hozumi, I., 64

Ohmori, H., see Shimahara, T., 219
Packard, M.G., Regenold, W., Quirion, R. and White, N.M., Post-training injection of the acetylcholine M2 receptor antagonist AF-DX 116 improves memory, 72
Palacios, J.M., see Mengod, G., 139
Pearson, R.C.A., see Neal, J.W., 119
Perry, E.K., see Court, J.A., 319
Phillis, J.W., Simpson, R.E. and Walter, G.A., The effect of hyperglycemia on extracellular levels of adenosine in the hypoxic rat cerebral cortex, 336
Phillis, J.W., see Lin, Y., 316
Piggott, M.A., see Court, J.A., 319
Pleim, E.T., Matochik, J.A., Barfield, R.J. and Auerbach, S.B., Correlation of dopamine release in the nucleus accumbens with masculine sexual behavior in rats, 160
Pompeiano, M., see Mengod, G., 139
Poolos, N.P. and Kocsis, J.D., Dendritic action potentials activated by NMDA receptor-mediated EPSPs in CA1 hippocampal pyramidal cells, 342
Poon, P.W.F., Chen, X. and Hwang, J.C., Altered sensitivities of auditory neurons in the rat midbrain following postnatal exposure to patterned sounds, 327
Powell, T.P.S., see Neal, J.W., 119
Prado, W.A., see Terenzi, M.G., 213
Priestley, J.V., see Alvarez, F.J., 175

Quirion, R., see Packard, M.G., 72

Rao, T.S., see Iyengar, S., 322
Regenold, W., see Packard, M.G., 72
Regoli, D., see Tousignant, C., 263
Reid, A., see Sawynok, J., 187
Rhie, D.J., see Kim, M.S., 208
Richard, Ph., see Di Scala-Guenot, D., 10
Rittenhouse, A.R. and Zigmond, R.E., Nerve stimulation in vivo acutely increases tyrosine hydroxylase activity in the superior cervical ganglion and its end organs, 156
Rodrigo, J., see Alvarez, F.J., 175
Routtenberg, A., see Sheu, F.-S., 144
Rubinstein, C.T. and Shrager, P., Remyelination of nerve fibers in the transected frog sciatic nerve, 303
Rutecki, P.A., see Noebels, J.L., 225

Saint Marie, R.L. and Baker, R.A., Neurotransmitter-specific uptake and retrograde transport of [^{3}H]glycine from the inferior colliculus by ipsilateral projections of the superior olivary complex and nuclei of the lateral lemniscus, 244
Sawynok, J., Reid, A. and Isbrucker, R., Adenosine mediates calcium-induced antinociception and potentiation of noradrenergic antinociception in the spinal cord, 187
Schielke, G.P., Moises, H.C. and Betz, A.L., Potassium activation of the Na,K-pump in isolated brain microvessels and synaptosomes, 291
Selyanko, A.A., Zidichouski, J.A. and Smith, P.A., A muscarine-sensitive, slow, transient outward current in frog autonomic neurones, 236
Serafin, M., see Mühlethaler, M., 17
Shehab, S.A.S., see Nona, S.N., 133
Sheu, F.-S., Kasamatsu, T. and Routtenberg, A., Protein kinase C activity and substrate (F1/GAP-43) phosphorylation in developing cat visual cortex, 144
Shigemoto, T., see Shimahara, T., 219
Shimamura, M., Fuwa, T. and Tanaka, I., Crossed forelimb extension produced in thalamic cats by injection of putative transmitter substances into the paralemniscal pontine reticular formation, 282
Shimahara, T., Icard-Liepkalins, C., Ohmori, H. and Shigemoto, T., Mobilization of intracellular Ca^{2+} and suppression of inward currents in a neuronal hybrid cell line triggered by bradykinin, 219
Shoji, H., see Koga, T., 313
Shrager, P., see Rubinstein, C.T., 303
Sica, A.L. and Gandhi, M.R., Efferent phrenic nerve and respiratory neuron activities in the developing kitten: spontaneous discharges and hypoxic responses, 254
Sidman, R.L., see Neumann, P.E., 85
Simpson, R.E., see Phillis, J.W., 336
Sirett, N.E., see Hubbard, J.I., 347
Smith, P.A., see Selyanko, A.A., 236
Sobue, G., see Yasuda, T., 54
Stabel, J., see Mudrick, L.A., 331
Stafford, C.A., see Nona, S.N., 133
Strosser, M.T., see Di Scala-Quenot, D., 10
Szallasi, A. and Blumberg, P.M., Specific binding of resiniferatoxin, an ultrapotent capsaicin analog, by dorsal root ganglion membranes, 106

Takahashi, A., see Yasuda, T., 54
Tanaka, I., see Shimamura, M., 282
Tassin, J.-P., see Mantz, J., 22
Télémaque, S., see Tousignant, C., 263
Terenzi, M.G., Guimarães, F.S. and Prado, W.A., Antinociception induced by stimulation of the habenular complex of the rat, 213
Thierry, A.-M., see Mantz, J., 22
Toffano, G., see Koga, T., 313
Tokuno, H., see Nakamura, Y., 353
Tousignant, C., Guillemette, G., Drapeau, G., Télémaque, S., Dion, S. and Regoli, D., ^{125}I-BH[Sar^9,Met$(O_2)^{11}$]-SP, a new selective ligand for the NK-1 receptor in the central nervous system, 263

Van Praag, H. and Frenk, H., The role of glutamate in opiate descending inhibition of nociceptive spinal reflexes, 101

Walter, G.A., see Phillis, J.W., 336
Wasterlain, C.G., see Bronstein, J.W., 49
White, N.M., see Packard, M.G., 72
Wiegand, H., Meis, S. and Gotzsch, U., Inhibition by tetrandrine of calcium currents at mouse motor nerve endings, 112
Wood, P.L., see Iyengar, S., 322
Woodson, C., see Neary, J.T., 231

Yamada, S., see Koga, T., 313
Yang, C.R. and Mogenson, G.J., Dopaminergicmodulation of cholinergic respon ses in rat medial prefrontal cortex: an electrophysiologicalstudy, 271
Yasuda, T., Sobue, G., Ito, T., Mitsuma, T.

and Takahashi, A., Nerve growth factor enhances neurite arborization of adult sensory neurons; a study in single-cell culture, 54
Yoon, S.H., see Kim, M.S., 208
Zidichouski, J.A., see Selyanko, A.A., 236
Zigmond, R.E., see Rittenhouse, A.R., 156

(contents continued)

Dendritic action potentials activated by NMDA receptor-mediated EPSPs in CA1 hippocampal pyramidal cells
N.P. Poolos and J.D. Kocsis (U.S.A.) 342

Responses in the diagonal band of Broca, adjacent septal nuclei and the islands of Calleja of cats to stimulation of the subcallosal fornix, medial basal hypothalamus and medial forebrain bundle
J.I. Hubbard, B.I. Hyland and N.E. Sirett (New Zealand) 347

Monosynaptic projection from the pedunculopontine tegmental nuclear region to the reticulospinal neurons of the medulla oblongata. An electron microscope study in the cat
Y. Nakamura, M. Kudo and H. Tokuno (Japan) 353

Author Index 357